



**GENERAL CONSTRUCTION**




**TOP VIEW**




**ELEVATION VIEW**

CORE MOUNTING SHOWN  
SEE CORE SUBMITTAL  
FOR MORE INFORMATION



**DETAIL B**



**SECTION A-A**  
90

**MATERIAL**

- FRAMES ALUMINUM EXTRUSION
- PANEL ALUMINUM WITH COPPER TUBING
- INSULATION ACOUSTIC INSULATION
- RADIANT HOSES BRAIDED STAINLESS STEEL

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE**

- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)


**ASSEMBLY AND INSTALLATION**

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**

- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- SYSTEM MASS = 12 KG / SQ M
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]

E	2023-08-23	VH	JAC
D	2022-10-26	AS	JAC
C	2022-01-31	AS	JAC
B	2021-09-27	AS	JAC
A	2022-10-16	JAC	MLH
REV	DATE	DRAWN BY	CHECKED BY



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25
			INCHES
			DEGREES


PROJECT	<b>WEAVE</b>
---------	--------------

DRAWING TITLE	<b>STANDARD PANEL</b>
---------------	-----------------------


SUBMITTAL NUMBER	<b>272753</b>	SHEET	1 OF 9	SIZE	<b>B</b>
------------------	---------------	-------	--------	------	----------

# SUBMITTAL

## TORSION SPRINGS



## ACCESS CABLES



### MATERIAL

- TORSION SPRINGS GALVANIZED STEEL
- ACCESS CABLES BRAIDED STEEL

**PARC**  
A Price Company  
PARC-CEILINGS.COM

### FINISH:

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

### MECHANICAL SERVICE:

- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

### ASSEMBLY AND INSTALLATION:

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

### NOTES:

- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- SYSTEM MASS = 12 KG / SQ M
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01	INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25	DEGREES

PROJECT	<b>WEAVE</b>		
---------	--------------	--	--

DRAWING TITLE	<b>STANDARD PANEL</b>		
---------------	-----------------------	--	--

SUBMITTAL NUMBER	<b>272753</b>	SHEET 2 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------

© COPYRIGHT PRICE INDUSTRIES 2022

A

B



C

D


E

# SUBMITTAL


## WALL MOUNTED




**DETAIL C**  
HINGED MOUNT




**DETAIL E**  
MAGNET MOUNT



**BACK VIEW**



**ISO VIEW**



**DETAIL F**

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE:**

- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION:**

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**

- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- SYSTEM MASS = 12 KG / SQ M
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01 INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25 DEGREES

PROJECT	<b>WEAVE</b>
---------	--------------

DRAWING TITLE	<b>STANDARD PANEL</b>
---------------	-----------------------

SUBMITTAL NUMBER	<b>272753</b>	SHEET 3 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------

# SUBMITTAL

## WALL MOUNTED COIL LAYOUT




**FINISH:**  
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED


**MECHANICAL SERVICE:**  
- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION:**  
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS


**NOTES:**  
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
- SYSTEM MASS = 12 KG / SQ M  
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]




SIDE C  
**COIL LAYOUT 1**  
CL1




SIDE C  
**COIL LAYOUT 2**  
CL2



SIDE C  
**COIL LAYOUT 3**  
CL3



SIDE C  
**COIL LAYOUT 4**  
CL4



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01	INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25	DEGREES

PROJECT **WEAVE**

DRAWING TITLE **STANDARD PANEL**

SUBMITTAL NUMBER	<b>272753</b>	SHEET 4 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------

© COPYRIGHT PRICE INDUSTRIES 2022

1

2

3

A


B

C


D

E


**END CAPS**



**SIDE VIEW**  
OPTIONAL END CAP



**TOP VIEW**  
END CAP EDGE OPTIONS



**EXPLODED VIEW**  
END CAP MAGNET BRACKET

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE:**

- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION:**

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**

- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- SYSTEM MASS = 12 KG / SQ M
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25
			DEGREES

PROJECT	<b>WEAVE</b>
---------	--------------

DRAWING TITLE	<b>STANDARD PANEL</b>
---------------	-----------------------

SUBMITTAL NUMBER	<b>272753</b>	SHEET	5 OF 9	SIZE	<b>B</b>
© COPYRIGHT PRICE INDUSTRIES 2022					

# SUBMITTAL

## CEILING MOUNTED COIL LAYOUT



**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE**


- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION**


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
 - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
 - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
 - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**


- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
 - SYSTEM MASS = 12 KG / SQ M  
 - ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
 - ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]




**COIL LAYOUT 1**  
CL1




**COIL LAYOUT 2**  
CL2




**COIL LAYOUT 3**  
CL3




**COIL LAYOUT 4**  
CL4




**COIL LAYOUT 5**  
CL5



**COIL LAYOUT 7**  
CL7



**COIL LAYOUT 6**  
CL6



**COIL LAYOUT 8**  
CL8



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01 INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25 DEGREES

PROJECT **WEAVE**

DRAWING TITLE **STANDARD PANEL**

SUBMITTAL NUMBER	<b>272753</b>	SHEET 6 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------

© COPYRIGHT PRICE INDUSTRIES 2022

1

2

3

A B C D E

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE**


- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION**


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
 - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
 - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
 - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**

- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
 - SYSTEM MASS = 12 KG / SQ M  
 - ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
 - ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



**TUBE END SIZE**  
15MM OPTION



**TUBE END SIZE**  
.625 OPTION

**TUBE END SIZE**

- 15 MM OUTER DIAMETER
- .625" OUTER DIAMETER



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01	INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25	DEGREES

PROJECT	<b>WEAVE</b>
---------	--------------

DRAWING TITLE	<b>STANDARD PANEL</b>
---------------	-----------------------


SUBMITTAL NUMBER	<b>272753</b>	SHEET 7 OF 9	SIZE <b>B</b>
© COPYRIGHT PRICE INDUSTRIES 2022			

**TEXTILE**

• GRAIN DIRECTION

**COLOUR OPTIONS**

- CASA VERO 1100
- CASA VERO 1122
- CASA VERO 1212
- CASA VERO 1250



**TOP VIEW**  
TEXTILE GRAIN DIRECTION

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE**


- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION**

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
 - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
 - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
 - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**

- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
 - SYSTEM MASS = 12 KG / SQ M  
 - ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
 - ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01 INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25 DEGREES

PROJECT	<b>WEAVE</b>
---------	--------------

DRAWING TITLE	<b>STANDARD PANEL</b>
---------------	-----------------------


SUBMITTAL NUMBER	<b>272753</b>	SHEET 8 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------




**TORSION SPRINGS SPACING**



- FINISH:**  
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED
- MECHANICAL SERVICE:**  
- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)
- ASSEMBLY AND INSTALLATION:**  
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS
- NOTES:**  
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
- SYSTEM MASS = 12 KG / SQ M  
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



TOP VIEW



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES

PROJECT **WEAVE**

DRAWING TITLE **STANDARD PANEL**

SUBMITTAL NUMBER	<b>272753</b>	SHEET 9 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------