


# SUBMITTAL

## GENERAL ASSEMBLY



EXPLODED VIEW



**CONSTRUCTION:**

- RUNNERS
  - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
  - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
  - o .110" [2.8MM] THICK STEEL SHEET

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**ASSEMBLY AND INSTALLATION**

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.27 LBS/ FT
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE

B	8/8/2023	MN	JAC
REV	DATE	DRAWN BY	CHECKED BY

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01 INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25 DEGREES

PROJECT **CORE**

DRAWING TITLE **STANDARD IMPERIAL SUBMITTAL**

SUBMITTAL NUMBER	<b>274165</b>	SHEET 1 OF 8	SIZE <b>B</b>
------------------	---------------	--------------	---------------

© COPYRIGHT LINDNER CANADA 2024

# SUBMITTAL

## GENERAL ASSEMBLY



### CONSTRUCTION:

- RUNNERS
  - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
  - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
  - o .110" [2.8MM] THICK STEEL SHEET

### FINISH:


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

### ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

### NOTES:


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.27 LBS/ FT
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE



TOP VIEW



DETAIL A



ELEVATION VIEW

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES

PROJECT **CORE**


DRAWING TITLE **STANDARD IMPERIAL SUBMITTAL**

SUBMITTAL NUMBER	<b>274165</b>	SHEET 2 OF 8	SIZE <b>B</b>
------------------	---------------	--------------	---------------


© COPYRIGHT LINDNER CANADA 2024

# SUBMITTAL


## GENERAL ASSEMBLY



ELEVATION VIEW



DETAIL B



DETAIL C  
CLIP NUTS HIDDEN



- CONSTRUCTION:**
- RUNNERS
    - o .110" [2.8MM] THICK STEEL SHEET
  - SPLICE PLATE
    - o .110" [2.8MM] THICK STEEL SHEET
  - NODE BRACKET
    - o .110" [2.8MM] THICK STEEL SHEET
- FINISH:**
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

- ASSEMBLY AND INSTALLATION**
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
  - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
  - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
  - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

- NOTES:**
- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
  - METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
  - PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
  - TBC: DETAILS TO BE CONFIRMED
  - CORE MASS = 1.27 LBS/ FT
  - CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25
			DEGREES


PROJECT: CORE

DRAWING TITLE: STANDARD IMPERIAL SUBMITTAL


SUBMITTAL NUMBER	274165	SHEET 3 OF 8	SIZE B
------------------	--------	--------------	--------

© COPYRIGHT LINDNER CANADA 2024

**GENERAL ASSEMBLY**



**FRONT VIEW**  
NODE RECESSED CHANNEL INTEGRATION



**FRONT VIEW**  
NODE FLUSH CHANNEL INTEGRATION

**CONSTRUCTION:**

- RUNNERS
  - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
  - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
  - o .110" [2.8MM] THICK STEEL SHEET

**FINISH:**


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**ASSEMBLY AND INSTALLATION**

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.27 LBS/ FT
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE




ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25
			INCHES
			DEGREES

PROJECT	<b>CORE</b>
---------	-------------

DRAWING TITLE	<b>STANDARD IMPERIAL SUBMITTAL</b>
---------------	------------------------------------

SUBMITTAL NUMBER	<b>274165</b>	SHEET	4 OF 8	SIZE	<b>B</b>
------------------	---------------	-------	--------	------	----------



**FRONT VIEW**  
NODE FLUSH CHANNEL WITH DIFFUSER INTEGRATION

**CONSTRUCTION:**  
 - ITEM DESCRIPTION  
 o ALUMINUM EXTRUSION  
 - ITEM DESCRIPTION  
 o MATERIAL, XX GA  
**FINISH:**  
 - STATE STANDARD PRICE FINISH CODE OR CUSTOM FINISH  
 - ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**ELECTRICAL SERVICE**  
 - 120VAC, 60HZ, SINGLE-PHASE  
 o MAX OPERATING CURRENT: 0.0A  
 o MIN CIRCUIT AMPACITY: 0.0A  
 o MAX OVERCURRENT PROTECTION: 0.0A

**MECHANICAL SERVICE**  
 - SUPPLY AIR  
 o 300CFM @ 25°C  
 - WATER SUPPLY  
 o 2.5GPM @ 60PSI

**CONTROLS**  
 - CXY##### BY PARC  
 - CONTROLS BY OTHERS

**ASSEMBLY AND INSTALLATION**  
 - ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
 - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
 - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
 - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**  
 - DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)  
 - METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
 - PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS  
 - TBC: DETAILS TO BE CONFIRMED

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01
ANGULAR	X ±1	X.X ±.5	X.XX ±.25
			DEGREES

PROJECT **CORE**

DRAWING TITLE **STANDARD IMPERIAL SUBMITTAL**

SUBMITTAL NUMBER	<b>274165</b>	SHEET 5 OF 8	SIZE <b>B</b>
© COPYRIGHT LINDNER CANADA 2024			

# SUBMITTAL

## CORE - STRUCTURE

**STYLE:**

RUNNER

**LENGTH:**

120IN

**FINISH:**

MILL  
 B-17 BLACK

**CONSTRUCTION:**

- RUNNERS
  - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
  - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
  - o .110" [2.8MM] THICK STEEL SHEET

**FINISH:**


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**ASSEMBLY AND INSTALLATION**


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.27 LBS/ FT
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE





SIDE VIEW



SIDE VIEW



TOP VIEW



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01	INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25	DEGREES

PROJECT **CORE**

DRAWING TITLE **STANDARD IMPERIAL SUBMITTAL**

SUBMITTAL NUMBER	<b>274165</b>	SHEET	6 OF 8	SIZE	<b>B</b>
------------------	---------------	-------	--------	------	----------

# SUBMITTAL


## CORE - SPLICE

**STYLE:**


- RUNNER

**FINISH:**


- MILL
- B-17 BLACK



FRONT VIEW



SIDE VIEW



ISOMETRIC VIEW  
EXPLODED

**CONSTRUCTION:**

- RUNNERS
  - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
  - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
  - o .110" [2.8MM] THICK STEEL SHEET

**FINISH:**


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**ASSEMBLY AND INSTALLATION**

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.27 LBS/ FT
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01	INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25	DEGREES

PROJECT	<b>CORE</b>
---------	-------------

DRAWING TITLE	<b>STANDARD IMPERIAL SUBMITTAL</b>
---------------	------------------------------------

SUBMITTAL NUMBER	<b>274165</b>	SHEET	7 OF 8	SIZE	<b>B</b>
------------------	---------------	-------	--------	------	----------

# SUBMITTAL

## CORE - CONNECTION

**STYLE:**

NODE

**FINISH:**

MILL

B-17 BLACK



**CONSTRUCTION:**

- RUNNERS
  - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
  - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
  - o .110" [2.8MM] THICK STEEL SHEET

**FINISH:**


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**ASSEMBLY AND INSTALLATION**


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.27 LBS/ FT
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE



FRONT VIEW



SIDE VIEW



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01	INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25	DEGREES

PROJECT	<b>CORE</b>		
---------	-------------	--	--

DRAWING TITLE	<b>STANDARD IMPERIAL SUBMITTAL</b>		
---------------	------------------------------------	--	--

SUBMITTAL NUMBER	<b>274165</b>	SHEET 8 OF 8	SIZE <b>B</b>
------------------	---------------	--------------	---------------

© COPYRIGHT LINDNER CANADA 2024

A

B

C

D

E