

SUBMITTAL

GENERAL ASSEMBLY



CONSTRUCTION:

- RUNNERS
 - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
 - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
 - o .110" [2.8MM] THICK STEEL SHEET

FINISH:

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.9 KG/LIN. M
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE

C	8/8/2023	MN	JAC
REV	DATE	DRAWN BY	CHECKED BY

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED


TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01 INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25 DEGREES

PROJECT **CORE**

DRAWING TITLE **STANDARD METRIC SUBMITTAL**

SUBMITTAL NUMBER	273901	SHEET 1 OF 8	SIZE B
------------------	---------------	--------------	---------------

© COPYRIGHT LINDNER CANADA 2024



EXPLODED VIEW

A B C D E

SUBMITTAL

GENERAL ASSEMBLY



CONSTRUCTION:

- RUNNERS
 - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
 - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
 - o .110" [2.8MM] THICK STEEL SHEET

FINISH:


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS


NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.9 KG/LIN. M
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE



TOP VIEW

ELEVATION VIEW



DETAIL A

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01 INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25 DEGREES

PROJECT **CORE**

DRAWING TITLE **STANDARD METRIC SUBMITTAL**


SUBMITTAL NUMBER	273901	SHEET 2 OF 8	SIZE B
------------------	---------------	--------------	---------------

© COPYRIGHT LINDNER CANADA 2024


A B C D E

SUBMITTAL


GENERAL ASSEMBLY



ELEVATION VIEW



DETAIL B



DETAIL C
CLIP NUTS HIDDEN



CONSTRUCTION:

- RUNNERS
 - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
 - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
 - o .110" [2.8MM] THICK STEEL SHEET

FINISH:


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.9 KG/LIN. M
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25
			INCHES / DEGREES

PROJECT	CORE
---------	-------------


DRAWING TITLE	STANDARD METRIC SUBMITTAL
---------------	----------------------------------

SUBMITTAL NUMBER	273901	SHEET	3 OF 8	SIZE	B
------------------	---------------	-------	--------	------	----------


© COPYRIGHT LINDNER CANADA 2024

A B C D E

GENERAL ASSEMBLY



FRONT VIEW
NODE RECESSED CHANNEL INTEGRATION



FRONT VIEW
NODE FLUSH CHANNEL INTEGRATION

CONSTRUCTION:

- RUNNERS
 - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
 - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
 - o .110" [2.8MM] THICK STEEL SHEET

FINISH:


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.9 KG/LIN. M
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01 INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25 DEGREES

PROJECT
CORE

DRAWING TITLE
STANDARD METRIC SUBMITTAL

SUBMITTAL NUMBER	273901	SHEET 4 OF 8	SIZE B
------------------	---------------	--------------	---------------

© COPYRIGHT LINDNER CANADA 2024

CONSTRUCTION:
 - ITEM DESCRIPTION
 o ALUMINUM EXTRUSION
 - ITEM DESCRIPTION
 o MATERIAL, XX GA
FINISH:
 - STATE STANDARD PRICE FINISH CODE OR CUSTOM FINISH
 - ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED


ELECTRICAL SERVICE
 - 120VAC, 60HZ, SINGLE-PHASE
 o MAX OPERATING CURRENT: 0.0A
 o MIN CIRCUIT AMPACITY: 0.0A
 o MAX OVERCURRENT PROTECTION: 0.0A

MECHANICAL SERVICE
 - SUPPLY AIR
 o 300CFM @ 25°C
 - WATER SUPPLY
 o 2.5GPM @ 60PSI

CONTROLS
 - CXY##### BY PARC
 - CONTROLS BY OTHERS

ASSEMBLY AND INSTALLATION
 - ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
 - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
 - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
 - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:
 - DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
 - METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
 - PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
 - TBC: DETAILS TO BE CONFIRMED



FRONT VIEW
NODE FLUSH CHANNEL INTEGRATION

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01
ANGULAR	X ±1	X.X ±.5	X.XX ±.25
			DEGREES

PROJECT **CORE**

DRAWING TITLE **STANDARD METRIC SUBMITTAL**

SUBMITTAL NUMBER	273901	SHEET	5 OF 8	SIZE	B
------------------	---------------	-------	--------	------	----------

SUBMITTAL

CORE - STRUCTURE

STYLE:

RUNNER

LENGTH:

3000MM

FINISH:

MILL
 B-17 BLACK



CONSTRUCTION:

- RUNNERS
 - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
 - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
 - o .110" [2.8MM] THICK STEEL SHEET

FINISH:


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.9 KG/LIN. M
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE




SIDE VIEW




SIDE VIEW



TOP VIEW



TYP. SPACINMG PATTERN



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01	INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25	DEGREES

PROJECT
CORE

DRAWING TITLE
STANDARD METRIC SUBMITTAL

SUBMITTAL NUMBER	273901	SHEET 6 OF 8	SIZE B
------------------	---------------	--------------	---------------

© COPYRIGHT LINDNER CANADA 2024

A B C D E

SUBMITTAL


CORE - SPLICE

STYLE:


RUNNER

FINISH:


MILL
 B-17 BLACK



FRONT VIEW



SIDE VIEW



ISOMETRIC VIEW
EXPLODED

CONSTRUCTION:

- RUNNERS
 - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
 - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
 - o .110" [2.8MM] THICK STEEL SHEET

FINISH:


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:

- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.9 KG/LIN. M
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01	INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25	DEGREES

PROJECT	CORE		
---------	-------------	--	--

DRAWING TITLE	STANDARD METRIC SUBMITTAL		
---------------	----------------------------------	--	--

SUBMITTAL NUMBER	273901	SHEET 7 OF 8	SIZE B
------------------	---------------	--------------	---------------

SUBMITTAL

CORE - CONNECTION

STYLE:

- NODE

FINISH:

- MILL
- B-17 BLACK



CONSTRUCTION:

- RUNNERS
 - o .110" [2.8MM] THICK STEEL SHEET
- SPLICE PLATE
 - o .110" [2.8MM] THICK STEEL SHEET
- NODE BRACKET
 - o .110" [2.8MM] THICK STEEL SHEET

FINISH:


- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

ASSEMBLY AND INSTALLATION


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

NOTES:


- DIMENSIONS SHOWN IN PARENTHESES ARE FOR REFERENCE ONLY (X.XX)
- METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PARC QUALITY STANDARDS
- TBC: DETAILS TO BE CONFIRMED
- CORE MASS = 1.9 KG/LIN. M
- CORE MASS INCLUDES RUNNER, SPLICE, NODE BRACKET, AND HARDWARE



FRONT VIEW



SIDE VIEW



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01	INCHES
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25	DEGREES

PROJECT	CORE		
---------	-------------	--	--

DRAWING TITLE	STANDARD METRIC SUBMITTAL		
---------------	----------------------------------	--	--

SUBMITTAL NUMBER	273901	SHEET 8 OF 8	SIZE B
------------------	---------------	--------------	---------------

© COPYRIGHT LINDNER CANADA 2024