



**GENERAL CONSTRUCTION**




**TOP VIEW**




**ELEVATION VIEW**

CORE MOUNTING SHOWN  
SEE CORE SUBMITTAL  
FOR MORE INFORMATION



**DETAIL B**



**SECTION A-A**  
90

**MATERIAL**

- FRAMES ALUMINUM EXTRUSION
- PANEL ALUMINUM WITH COPPER TUBING
- INSULATION ACOUSTIC INSULATION
- RADIANT HOSES BRAIDED STAINLESS STEEL

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE**

- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)


**ASSEMBLY AND INSTALLATION**

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**

- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- SYSTEM MASS = 12 KG / SQ M
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]

REV	DATE	DRAWN BY	CHECKED BY
E	2023-08-23	VH	JAC
D	2022-10-26	AS	JAC
C	2022-01-31	AS	JAC
B	2021-09-27	AS	JAC
A	2022-10-16	JAC	MLH



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ± .06	X.XX ± .03	X.XXX ± .01
ANGULAR	X ± 1	X.X ± .5	X.XX ± .25
			DEGREES


PROJECT	<b>WEAVE</b>
---------	--------------

DRAWING TITLE	<b>STANDARD PANEL</b>
---------------	-----------------------


SUBMITTAL NUMBER	<b>272753</b>	SHEET 1 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------

# SUBMITTAL

## TORSION SPRINGS



## ACCESS CABLES



### MATERIAL

- TORSION SPRINGS GALVANIZED STEEL
- ACCESS CABLES BRAIDED STEEL



### FINISH:

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

### MECHANICAL SERVICE

- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

### ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

### NOTES:

- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]
- SYSTEM MASS = 12 KG / SQ M
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01	INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25	DEGREES

PROJECT	<b>WEAVE</b>		
---------	--------------	--	--

DRAWING TITLE	<b>STANDARD PANEL</b>		
---------------	-----------------------	--	--



SUBMITTAL NUMBER	<b>272753</b>	SHEET 2 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------

© COPYRIGHT LINDNER CANADA 2024


A B C D E

# SUBMITTAL




## WALL MOUNTED



**DETAIL C**  
HINGED MOUNT



**DETAIL E**  
MAGNET MOUNT



**FINISH:**  
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE**  
- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION**  
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**  
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
- SYSTEM MASS = 12 KG / SQ M  
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED  
LINEAR X.X ±.06 X.XX ±.03 X.XXX ±.01 INCHES  
ANGULAR X ±1 X.X ±.5 X.XX ±.25 DEGREES

PROJECT **WEAVE**

DRAWING TITLE **STANDARD PANEL**

SUBMITTAL NUMBER **272753** SHEET 3 OF 9 SIZE **B**


# SUBMITTAL

## WALL MOUNTED COIL LAYOUT


1

2


3




SIDE C  
**COIL LAYOUT 1**  
CL1



SIDE C  
**COIL LAYOUT 2**  
CL2



SIDE C  
**COIL LAYOUT 3**  
CL3



SIDE C  
**COIL LAYOUT 4**  
CL4

**FINISH:**  
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE**  
- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION**  
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**  
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
- SYSTEM MASS = 12 KG / SQ M  
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED


TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01	INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25	DEGREES

PROJECT **WEAVE**


DRAWING TITLE **STANDARD PANEL**

SUBMITTAL NUMBER	<b>272753</b>	SHEET 4 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------


**END CAPS**



**SIDE VIEW**  
OPTIONAL END CAP



**TOP VIEW**  
END CAP EDGE OPTIONS



**EXPLODED VIEW**  
END CAP MAGNET BRACKET

**FINISH:**  
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE:**  
- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION:**  
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**  
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
- SYSTEM MASS = 12 KG / SQ M  
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED  
LINEAR X.X ±.06 X.XX ±.03 X.XXX ±.01 INCHES  
ANGULAR X ±1 X.X ±.5 X.XX ±.25 DEGREES

PROJECT **WEAVE**

DRAWING TITLE **STANDARD PANEL**

SUBMITTAL NUMBER **272753** SHEET 5 OF 9 SIZE **B**

# SUBMITTAL

## CEILING MOUNTED COIL LAYOUT

**FINISH:**

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

**MECHANICAL SERVICE**


- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION**


- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
 - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
 - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
 - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**


- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
 - SYSTEM MASS = 12 KG / SQ M  
 - ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
 - ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]




**COIL LAYOUT 1**  
CL1




**COIL LAYOUT 2**  
CL2




**COIL LAYOUT 3**  
CL3




**COIL LAYOUT 4**  
CL4




**COIL LAYOUT 5**  
CL5



**COIL LAYOUT 7**  
CL7



**COIL LAYOUT 6**  
CL6



**COIL LAYOUT 8**  
CL8



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01 INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25 DEGREES

PROJECT **WEAVE**

DRAWING TITLE **STANDARD PANEL**


SUBMITTAL NUMBER	<b>272753</b>	SHEET 6 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------

**FINISH:**  
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED


**MECHANICAL SERVICE**  
- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION**  
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**  
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
- SYSTEM MASS = 12 KG / SQ M  
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



**TUBE END SIZE**  
15MM OPTION



**TUBE END SIZE**  
.625 OPTION

- TUBE END SIZE**
- 15 MM OUTER DIAMETER
  - .625" OUTER DIAMETER

ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01	INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25	DEGREES

PROJECT **WEAVE**

DRAWING TITLE **STANDARD PANEL**

SUBMITTAL NUMBER	<b>272753</b>	SHEET 7 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------


# SUBMITTAL

## TEXTILE

GRAIN DIRECTION

### COLOUR OPTIONS

- CASA VERO 1100
- CASA VERO 1122
- CASA VERO 1212
- CASA VERO 1250



**TOP VIEW**  
TEXTILE GRAIN DIRECTION



#### FINISH:

- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED

#### MECHANICAL SERVICE


- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

#### ASSEMBLY AND INSTALLATION

- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
 - ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
 - (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
 - (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

#### NOTES:

- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
 - SYSTEM MASS = 12 KG / SQ M  
 - ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
 - ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED				
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01	INCHES
ANGULAR	X ±1	X.X ±.5	X.XX ±.25	DEGREES

PROJECT	<b>WEAVE</b>
---------	--------------

DRAWING TITLE	<b>STANDARD PANEL</b>
---------------	-----------------------

SUBMITTAL NUMBER	<b>272753</b>	SHEET 8 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------

© COPYRIGHT LINDNER CANADA 2024




**TORSION SPRINGS SPACING**

**FINISH:**  
- ALL HARDWARE: MILL FINISH UNLESS OTHERWISE SPECIFIED


**MECHANICAL SERVICE:**  
- ALLOWABLE OPERATING PRESSURE = 10.34 BAR (150 PSI)

**ASSEMBLY AND INSTALLATION:**  
- ALL COMPONENTS SHOWN ARE FACTORY ASSEMBLED BY PARC UNLESS OTHERWISE NOTED  
- ALL INSTALLATION BY OTHERS AND METHODS SHOWN ARE NOTIONAL  
- (ASSY BY OTHERS): PROVIDED BY PARC, FIELD ASSEMBLED BY OTHERS  
- (BY OTHERS): PROVIDED AND FIELD ASSEMBLED BY OTHERS

**NOTES:**  
- PRODUCT FINISH MAY VARY IN TONE, GLOSS AND TEXTURE; VARIATIONS ARE WITHIN PRICE INDUSTRIES' QUALITY STANDARDS METRIC DIMENSIONS SHOWN IN BRACKETS [X.XX]  
- SYSTEM MASS = 12 KG / SQ M  
- ONLY ONE SIDE (A/C OR B/D) MAY EXCEED 60.00 [1500]  
- ONLY ONE SIDE (A/C OR B/D) MAY BE LESS THAN 24.00 [600]



TOP VIEW



ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
LINEAR	X.X ±.06	X.XX ±.03	X.XXX ±.01
ANGULAR	X ±1	X.X ±.5	X.XX ±.25

PROJECT **WEAVE**

DRAWING TITLE **STANDARD PANEL**

SUBMITTAL NUMBER	<b>272753</b>	SHEET 9 OF 9	SIZE <b>B</b>
------------------	---------------	--------------	---------------