

Node FLCD 100

Technical Strip

Product Description

Node Flush Channel with Diffuser is a linear ceiling channel that houses Node devices as part of a coordinated solution for lighting and building services, including air distribution and return. Designed to be mounted flush with the ceiling plane.

- Flexible channel lengths between 300-3000mm
- Factory coordinated devices in any locations
- Discreet air supply when paired with the Node Flush Channel Plenum
- Mounting compatibility with Weave panels and customizable for other ceiling finishes



Project Solutions

This product data sheet refers to the standard version of the product mentioned above. Customization of the channel, mounting elements, finishes, etc. are available to meet the needs of your specific project.

Region

Node FLCD 100 is available in **North America**. For Rest of World, please refer to Node FLCD 200 data sheet.

Technical Data

Length	300 – 3000mm	
Overall Width	165 mm	
Channel Width	120 mm	
Height	100 mm	
Weight	4.1 kg/m	

Finishes

Powder Coated	B17 – Black B30 - White
Anodized	Clear Satin Champagne Satin Light Bronze Satin Medium Bronze Satin Dark Bronze Satin Black Satin

Accessories – ordered separately

Devices

			
Ceiling Rose	Emergency Light	Sprinkler	Sensor
			
Smoke Sampling Point	Camera	Speaker	

Lights

		
Downlight	Linear Light	Spotlight

Air Handling


Plenum

Projects

