

Node RECD 300

Technical Strip

Product Description

Node Recessed Channel with Diffuser is a linear ceiling channel that houses Node devices as part of a coordinated solution for lighting and building services, including air distribution and return. Designed to have the mounting surface recessed to the ceiling plane.

- Flexible channel lengths between 300-3000mm
- Factory coordinated devices in any locations
- Discreet air supply when paired with the Node Recessed Channel Plenum
- Mounting compatibility with Weave panels and customizable for other ceiling finishes



Project Solutions

This product data sheet refers to the standard version of the product mentioned above. Customization of the channel, mounting elements, finishes, etc. are available to meet the needs of your specific project.

Region

Node RECD 300 is available in **North America**. For Rest of World, please refer to Node RECD 400 data sheet.

Technical Data

Length	300 – 3000mm	
Overall Width	183 mm	
Exposed Width in Ceiling	120 mm	
Height	100 mm	
Weight	2.6 kg/m	

Finishes

Powder Coated	B17 – Black B30 - White
Anodized	Clear Satin Champagne Satin Light Bronze Satin Medium Bronze Satin Dark Bronze Satin Black Satin

Accessories – ordered separately

Devices

			
Ceiling Rose	Emergency Light	Sprinkler	Sensor
			
Smoke Sampling Point	Camera	Speaker	


Lights

		
Downlight	Linear Light	Spotlight

Air Handling


Plenum

Projects



all